

Green Jaws  
Mathias Maier  
Sudetenring 28  
71642 Ludwigsburg  
Germany

Fon: +49 7141 - 1294417  
Email: [info@green-jaws.com](mailto:info@green-jaws.com)

[www.green-jaws.com](http://www.green-jaws.com)

Ust-IdNr. DE292891433



## Green Jaws' Saleslist

last updated April 2017

**Bitte die Bestellbedingungen am Ende beachten/Please read the last site for how to order**

MK Clone Description

Price in €

### Cephalotus (Zwergkrug/Albany Pitcher Plant)

C. follicularis	Typical	18.-
C. follicularis	Old Clone from Dr. Eberhard König, turns dark red	35.-
C. follicularis	Clone from Martin Stöckl, turns very dark red, nearly black	45.-
C. follicularis	Clone from Oliver Gluch, turns very dark red, nearly black	45.-
C. follicularis	Clone from Queen Mary Botanical Garden London	35.-
C. follicularis	Clone from Thomas Carow	20.-
C. follicularis	Clone from Wilhelma (BG Stuttgart)	40.-
C. follicularis	Dudley Watts	38.-
C. follicularis	Eden Black	90.-
C. follicularis	ex Peter Harbarth clone	45.-
C. follicularis	German Giant	65.-
C. follicularis	Hummers Giant	65.-
C. follicularis	Hummers Giant, Fake	20.-

### Darlingtonia (Kobralilie/Cobra Lily)

Werden in bald wieder verfügbar sein/will become available later in season

### Dionaea (Venus Fliegenfalle/Venus Flytrap)

D. muscipula	Typical, aus Samen gezogen	6.-
D. muscipula	RZ 1955	12.-
D. muscipula	MK 1979	12.-
D. muscipula	Adentate	24.-
D. muscipula	Akai Ryu	10.-
D. muscipula	Alien	35.-
D. muscipula	All Green	6.-
D. muscipula	All Red Fused	20.-
D. muscipula	All Red Wilhelma	10.-
D. muscipula	Angelwings	28.-
D. muscipula	Australian Red Rosette	10.-
D. muscipula	B52	15.-
D. muscipula	Big Teeth Red Giant	10.-

	D. muscipula	Bimbo	15.-
	D. muscipula	Bristle Tooth	12.-
	D. muscipula	Burbanks Best	9.-
	D. muscipula	Charly Mandson Spotted	28.-
	D. muscipula	Claytons Red Sunset	14.-
	D. muscipula	Claytons Volcanic Red	12.-
	D. muscipula	Clone Wilhelma Old typical clone from Wilhelma (BG Stuttgart)	8.-
	D. muscipula	Clone X11	12.-
	D. muscipula	Coquillage	18.-
	D. muscipula	Crested Petioles	18.-
	D. muscipula	Crocodile	18.-
	D. muscipula	Cross Teeth	12.-
	D. muscipula	Cupped Trap	12.-
	D. muscipula	Degeneration Seedling of Cross Teeth x Akai Ryu, looks like Cross Teeth, but can produce	18.-
	D. muscipula	Dentata	8.-
	D. muscipula	Dentata A, great Giant Selection with Dentate Teeth of M. Srba	24.-
	D. muscipula	Dingley Giant	10.-
	D. muscipula	Dracula	20.-
	D. muscipula	Dracula Fake	8.-
	D. muscipula	Dutch	7.-
	D. muscipula	Ellis Shark Tooth	16.-
	D. muscipula	Fangzahn	24.-
	D. muscipula	Flat Spotted	18.-
	D. muscipula	Fondue	12.-
	D. muscipula	Fused Tooth	10.-
DM17	D. muscipula	G6	8.-
DM19	D. muscipula	G10	8.-
DM20	D. muscipula	G12	8.-
	D. muscipula	G14 Dirk Ventham's Giant	12.-
	D. muscipula	G16	14.-
	D. muscipula	Giant Clam	18.-
DM50	D. muscipula	Giant Trap, Erect Form	12.-
	D. muscipula	GJ Basmati Traps looks like Werewolf, later in season the teeth disapper completely	38.-
	D. muscipula	GJ Diri-Piri	35.-
	D. muscipula	GJ Dr. Mabusa	45.-
	D. muscipula	GJ ERROR Can't close its traps	50.-
	D. muscipula	GJ Equobia	35.-
	D. muscipula	GJ Giant Cudo	38.-
	D. muscipula	GJ Giant Form Very huge traps	35.-
	D. muscipula	GJ Giant Shark Huge Traps with Shark Teeth	35.-
	D. muscipula	GJ Goliath My biggest Plant	40.-
	D. muscipula	GJ Green Schuppenstiel Seedling from 2011	40.-
	D. muscipula	GJ Kolibri Traps are like a funnel with a long nose	35.-
	D. muscipula	GJ Maratchi kind of Alien	50.-
	D. muscipula	GJ Montecore kind of Alien	50.-
	D. muscipula	GJ Ossweil Giant big traps	14.-
	D. muscipula	GJ Phalanx very long teeth, up to 2cm	16.-
	D. muscipula	GJ Pluto	24.-
	D. muscipula	GJ Quasimodo	38.-
	D. muscipula	GJ Red Pluto	35.-
	D. muscipula	GJ Rose no traps, just leafs	18.-
	D. muscipula	GJ Supernova a PomPom form	95.-
	D. muscipula	GJ Titan very big traps, from my Giant breeding programme	35.-
	D. muscipula	GJ Titanium very big traps, from my Giant breeding programme	35.-
	D. muscipula	GJ Two Hairs only 2 sensitive hairs	24.-
	D. muscipula	GJ Umgekrepelt the lobes are reverted	40.-
	D. muscipula	GJ Umgekrepelt II the lobes are reverted, grows much faster than clone I	50.-
	D. muscipula	Gold Strike	14.-
	D. muscipula	Green Dragon	12.-
	D. muscipula	Green Sawtooth	10.-
	D. muscipula	Green Vertical Form	12.-
	D. muscipula	Green Wide Trap	12.-
	D. muscipula	Green Wizzard	16.-

	D. muscipula	Grob Gezacht, Flach	10.-
	D. muscipula	Haifischzähne old clone from Dr. König	18.-
	D. muscipula	Harmony	18.-
	D. muscipula	Heterodoxa	6.-
	D. muscipula	Ian Salter Clone (GT3)?	14.-
	D. muscipula	Jaw's Smiley	28.-
	D. muscipula	JJ very nice typical clone from Joachim Jung	8.-
	D. muscipula	Kinchyaku	20.-
	D. muscipula	Kinky Wave	18.-
	D. muscipula	Korean Melody Shark	20.-
	D. muscipula	Korrigans	18.-
	D. muscipula	Kurze Zähne Clone like Dentata from Dr. Eberhard König	8.-
	D. muscipula	Large Pink Traps Erect Form	10.-
	D. muscipula	Little Devil	14.-
	D. muscipula	Long Petiole	10.-
	D. muscipula	Louchapates	18.-
	D. muscipula	Mars	20.-
	D. muscipula	Megatrap	12.-
	D. muscipula	Microdent	14.-
	D. muscipula	Minutissimum the smallest flytrap, up to 2cm	12.-
	D. muscipula	Mirror	16.-
	D. muscipula	Moontrap	16.-
	D. muscipula	Olivgrün	10.-
	D. muscipula	Pacman	18.-
	D. muscipula	Paradisica	10.-
	D. muscipula	Paulo's Red Dentate	15.-
	D. muscipula	Petite Dragon	10.-
	D. muscipula	Pink Venus	12.-
	D. muscipula	Predator Giant clone with fused tooth	18.-
	D. muscipula	Prolifera 2 Giant clone from Dr. König, similar to Bimbo	24.-
	D. muscipula	Red	8.-
	D. muscipula	Red Burgundy	10.-
	D. muscipula	Red Central Spot 2 sensitive hairs	16.-
	D. muscipula	Red Fused Petiole	24.-
	D. muscipula	Red Holland Clone	10.-
	D. muscipula	Red Piranha	12.-
	D. muscipula	Red Sawtooth	10.-
	D. muscipula	Red Shark SL 018	18.-
	D. muscipula	Reptile	28.-
DM56	D. muscipula	Robust Form Nigel Cooper	10.-
	D. muscipula	Rouge Sombre	10.-
DM11	D. muscipula	Royal Red	12.-
	D. muscipula	Ruby Red	10.-
	D. muscipula	Schuppenstiel I	12.-
	D. muscipula	Schuppenstiel II	12.-
	D. muscipula	Shark Tooth	8.-
	D. muscipula	Sharp Tooth	24.-
	D. muscipula	SL 14	14.-
	D. muscipula	Snake Dentition	16.-
	D. muscipula	South West Giant	12.-
	D. muscipula	Spider	10.-
	D. muscipula	Spotty	18.-
	D. muscipula	Sunrise	12.-
	D. muscipula	Switzerland Giant	12.-
	D. muscipula	Tiger Teeth	10.-
	D. muscipula	Trev's Red Dentate	12.-
	D. muscipula	Trichterfalle	10.-
	D. muscipula	Triton	28.-
	D. muscipula	Typical, seedgrown	6.-
	D. muscipula	UK I	10.-
	D. muscipula	UK II	10.-
	D. muscipula	Unnamed Clone from David Svarz, small plant with very small and fine teeth (like Harmony)	24.-
DM 70	D. muscipula	Vertical Curved Traps	14.-

D. muscipula	Viridis	8.-
D. muscipula	Wacky Traps	14.-
D. muscipula	WB 3	24.-
D. muscipula	WB 4	24.-
D. muscipula	WB Cup Trap	12.-
D. muscipula	Weinrot	12.-
D. muscipula	Werewolf	24.-
D. muscipula	Whale	10.-
D. muscipula	Yellow-Orange	8.-
D. muscipula	Z02 Giant	16.-
D. muscipula	Z08 Giant, Blood Red Traps	16.-
D. muscipula	Zickzackkiefer old Clone from Dr. König	12.-
D. muscipula	Carolina State Park	12.-
D. muscipula	Green Swamp	12.-
D. muscipula	Red Road 20, Oxford, West Florida #3	12.-
D. muscipula	Wilmington, North Carolina	14.-

## **Drosera (Sonnentau/Sundew)**

*winterharte Arten für draußen und das Moor/hardy plants for outside and a bog*

D. anglica	8.-
D. binata	10.-
D. binata var. dichotoma	14.-
D. filliformis ssp. filliformis	8.-
D. filliformis ssp. filliformis 'Pine Barrens, New Jersey'	9.-
D. intermedia	6.-
D. intermedia 'Pfälzerwoog'	8.-
D. rotundifolia	6.-
D. x beleziana 'Giant'	8.-
D. x Hybrida	8.-
D. x obovata	8.-

*Südafrika, gegen Fruchtfliegen und andere kleine Insekten, für die Fensterbank/for the windowsill*

D. capensis	6.-	
D. capensis	alba white flower	6.-
D. capensis	Compact Form	12.-
D. capensis	Crestate	14.-
D. capensis	Giant, Clone from Steve Morley	16.-
D. capensis	Large Form from Dr. Eberhard König	14.-
D. capensis	minor Tanabe	12.-
D. capensis	Red	8.-
D. capensis	Bain's Kloof Pass, Southafrica	12.-
D. capensis	Ceres	14.-
D. capensis	Matroosberg, Southafrica	12.-
D. capensis	Montague Pass, Westcap, South Africa	12.-
D. capensis	Theewaterskloof Damm	14.-
D. capensis	Vogelgaat	14.-
D. regia	later in Season available	

## **Heliamphora (Sumpfkrug/Pitcher Plant)**

H. nutans	Giant, the original old clone from Michael Schach	30.-
-----------	---	------

## Nepenthes (Kannenflechte/Tropical Pitcher Plant)

*für die Fensterbank/for the windowsill*

N. truncata		20.-
N. x 'Bloody Mary'		20.-
N. x Hybride		20.-

## Pinguicula (Fettkraut/Butterwort)

*winterharte Arten für draußen und das Moor/hardy plants for outside and a bog*

P. alpina	Gerstreit, BGL	24.-
P. grandiflora	Col de Tende, France	8.-
P. grandiflora	Val de Gela, Pyrenäen	10.-
P. vallisnerifolia	Cazorla, Andalusia, Spain	18.-
P. vulgaris		6.-
P. vulgaris	Sonnleiten, BGL	8.-
P. vulgaris	Watzmann, BGL	8.-
P. vulgaris var. bicolor	Mala Fatra Mountains, Slovakia	10.-
P. grandiflora x longifolia		10.-

*Mexico, gegen Fruchtfliegen und andere kleine Insekten, für die Fensterbank/for the windowsill*

P. gigantea	die größte Art, kann über 30cm im Durchmesser erreichen/the biggest species, up to 30cm	14.-
P. x Hybride	kleine Art	6.-
P. x Hybride	große Art	10.-

## Sarracenia (Schlauchpflanze/Pitcher Plant)

	S. alata	Deep maroon throat, ex Welhelm	16.-
	S. alata	Purple Throat, Pubescent Form, old clone from Dr. Eberhard König	16.-
	S. alata	var. atropurpurea, old clone from Thomas Alt, collected by himself	20.-
	S. alata	Dark Hood, I 10, Jackson County, Mississippi	14.-
	S. alata	Hilltop Lakes, Texas	14.-
	S. alata	Stone County, Mississippi	14.-
A24	S. alata	Pipeline, Rayburn, Jasper County, Texas, W, (A11, JA)	14.-
A27	S. alata	Black tube, De Soto National Forest, Mississippi, W, (A2, JA) (AF)	18.-
A28	S. alata	Black tube, stocky pubescent, De Soto National Forest Clone 3, W, (AH)	22.-
A33	S. alata	Hooded form, black upper tube and lid, heavy veins, Jackson County, Mississippi, WS (PW)	16.-
A46	S. alata	Tall pitchers with red lid and red upper tube, Stone County, Mississippi, (WS) (MS)	18.-
A48	S. alata	var. rubrioperculata, Giant red throat, Alastair Culham, Reading University	20.-
A54	S. alata	Light veins, Jackson County, Mississippi, WS	14.-
A61C	S. alata	Big Thicket, Texas (EEE, 2006)	16.-
A63	S. alata	Red lid, heavy veins, Site 1, Perry County, (AF, 2009)	16.-
	S. flava		12.-
	S. flava	Clone from Ruedi Fürst	14.-
	S. flava	Culture Clone from the Netherlands, grows also in winter	12.-
	S. flava	Red, clone from Thomas Carow	18.-
	S. flava	Red, pubescent form, Seedling from Paul Gardener	20.-
	S. flava	S7C2 BG Prague	20.-
	S. flava	S7K7 BG Prague	20.-
	S. flava	var. maxima, green tall form, (M.Srba F3)	20.-

	S. flava	var. ornata, Red Tube, Miramar Beach, Florida, USA, (M.Srba F11B)	20.-
	S. flava	var. rugelii, Miramar Beach, Florida, USA, (from Red tubed pitchers), (M.Srba F25)	20.-
	S. flava	Clone A, var. maxima, Berkeley County, Francis Marion NF, South Carolina, (M.Srba F55A)	22.-
	S. flava	Clone B, var. maxima, Berkeley County, Francis Marion NF, South Carolina, (M.Srba F55D)	22.-
	S. flava	M.Srba F77/1	20.-
	S. flava	Clone C, var. rubricorpora, (M. Studnička x F26), (M.Srba F121C)	28.-
	S. flava	var. flava, old Clone from the 1980's from Ian Salter, one of his first Sarracenia, bought in a Ga	16.-
	S. flava	var. flava, Bronze Blush, L. Williams (FFL05, Paul Gardener)	14.-
	S. flava	var. ornata, Clone 3, Honeysuckle Road, Harleyville, Dorchester County, South Carolina, WS	20.-
	S. flava	var. rubricorpora, ex. J. Ainsworth (ex. Hindle), (FRUB06, Paul Gardener)	16.-
	S. flava	var. rubricorpora 'lidless', Chester Zoo	38.-
	S. flava	var. rubricorpora, RCP1, old clone from Johannes Betz	22.-
	S. flava	Sussex County, Virginia, WS	18.-
	S. flava	Heavy veined lid, Greenswamp, North Carolina	16.-
	S. flava	var. maxima, Shands Bog, Virginia	18.-
	S. flava	var. ornata, Sandy Creek, Bay County, Florida	16.-
F6	S. flava	var. flava Dinwiddie, Virginia, W, (F10, JA)	16.-
F7	S. flava	var. rugelii Benhill County, Georgia, WS	16.-
F11	S. flava	Cultivar Slacks Maxima, plant described by Adrian Slack in both his books, Cultivar name not ε	18.-
F18	S. flava	var. rugelii, Giant robust clone, (PM)	20.-
F22	S. flava	var. rubricorpora, Giant red tube, Apalachicola National Forest Florida, W, (Andrew Cameron)	18.-
F26	S. flava	var. rubricorpora 'Burgundy'	20.-
F27A	S. flava	var. atropurpurea, All red form, Blackwater River State Forest, Florida, (PW, F3)	20.-
F27C	S. flava	var. atropurpurea, All red form, Blackwater River State Forest, Florida, W, (JA)	20.-
F27D	S. flava	var. atropurpurea, All red form, Blackwater River State Forest, Florida, W, (F62, PM)	20.-
F30	S. flava	var. rubricorpora, Very Dark, Liberty County, Florida	18.-
F31	S. flava	var. ornata, Very heavily veined, Gulf Coast, W, (F17, JA)	16.-
F32	S. flava	var. flava, Very large form, North Carolina, WS (PW)	20.-
F35	S. flava	var. ornata, Heavy veins, Apalachicola National Forest, Gulf Coast, Florida, W, (AH)	16.-
F36	S. flava	var. ornata, Heavy veins, Apalachicola National Forest, Gulf Coast, Florida, W, (MS)	16.-
F45	S. flava	var. rubricorpora, Purple tube, very dark, especially in throat, Milton, Florida, WS	18.-
F46	S. flava	var. ornata, Stocky, large lid, medium veins, Apalachicola National Forest, Florida, W, (PW)	18.-
F47	S. flava	Heavy veined, red lid, plant turns all red later in season. PM	18.-
F59	S. flava	var. rugelii, Very large form, Pat Barnes, Milton, Florida, W, (F36,MS)	18.-
F61	S. flava	var. rugelii, Apalachicola National Forest, Florida, WS, (AH) 1993	16.-
F65	S. flava	var. rubricorpora, Giant red tube, W, Ian Langford	18.-
F75	S. flava	var. rubricorpora, Apalachicola National Forest, Florida, W, (F36, JA)	18.-
F76	S. flava	var. rubricorpora, Apalachicola National Forest, Florida, W, (F56, JA)	18.-
F78	S. flava	var. ornata, Pender County, North Carolina, W	16.-
F88	S. flava	var. ornata, Solid red throat with diffused veins around neck, Apalachicola National Forest, Flor	20.-
F89	S. flava	var. rubricorpora, Red form, North Carolina, W, (AF)	18.-
F91	S. flava	var. maxima, Large green form, light vein, North Carolina, W, (F12, JA)	16.-
F101	S. flava	var. ornata, Sandy creek road, Florida, WS, (MS)	16.-
F102	S. flava	var. rubricorpora, Apalachicola National Forest, Florida, WS, (MS)	18.-
F115	S. flava	var. cuprea, olive/Copper top, North Carolina, WS, (PW, F09)	16.-
F118	S. flava	var. rubricorpora, WS, (Mark Dunsford), Seedling from ICPS seed bank	18.-
F123	S. flava	var. ornata, very heavy veins, North Carolina, WS, (F57/1,PW)	16.-
F124	S. flava	var. rubricorpora, Don Schnell, (JA)	20.-
F133	S. flava	var. rubricorpora, Wewahitchka, Florida, W, (cl2, SM)	18.-
F137	S. flava	var. atropurpurea, Apalachicola National Forest, Florida, W, dipping lid (cl2, SM)	20.-
F143	S. flava	var. rugelii, Large pitcher and lid, Reading University, Alastair Culham	20.-
F146	S. flava	var. rugelii, Large Pitcher, AP	16.-
F147	S. flava	var. rugelii, Sold as maxima in the USA, Bruce Bednar. (F48, PW)	16.-
F156	S. flava	var. ornata, Prince George County, Virginia, (W), Phil Sheridan	16.-
F157	S. flava	var. rugelii, Big lip giant, W, AM	16.-
F167A	S. flava	var. rubricorpora, Sumatra, Apalachicola National Forest, Florida, (WS)	18.-
F173	S. flava	var. cuprea, Pender County, North Carolina, W, (F45, JA)	16.-
F175B	S. flava	var. rugelii, Crestview, Florida, (WS)	16.-
F185	S. flava	var. ornata Prince George County, Virginia, WS, (PW)	16.-
F187	S. flava	var. rubricorpora, Milton, Florida, W, (AH)	18.-
F199	S. flava	var. ornata/var. rugelii, intergrade, Geneva Botanical Gardens, Andrea Amici, 2004, Pitchers ca	22.-
F218	S. flava	var. cuprea, very large form, (SM) 2006	16.-
F235	S. flava	var. rubricorpora, North Carolina, SM 2005	18.-

F257	<i>S. flava</i>	Goldie, Paul Gardener 2008	39.-
F272	<i>S. flava</i>	var. <i>ornata</i> Walton County, Florida, (ICPS Leiden 2010)	16.-
F275	<i>S. flava</i>	var. <i>rugelli</i> , Giant form Ronny Heirbaut, (DB #43, 2011)	20.-
	<i>S. leucophylla</i>	A2, Old clone from Christian Klein	20.-
	<i>S. leucophylla</i>	5ee13, old selection from Dr. Eberhard König	20.-
	<i>S. leucophylla</i>	Alba form from Christian Klein	22.-
	<i>S. leucophylla</i>	Clone from Ruedi Fürst	18.-
	<i>S. leucophylla</i>	Clone from Thomas Carow, 2011	18.-
	<i>S. leucophylla</i>	Clone A, Dr. Eberhad König	20.-
	<i>S. leucophylla</i>	Clone B, Dr. Eberhad König	20.-
	<i>S. leucophylla</i>	Pubescent form, from Joachim Jung, probably a clone from Dr. Eberhard König	16.-
	<i>S. leucophylla</i>	Very tall grower, EEE 2011	24.-
	<i>S. leucophylla</i>	'White top', form from Christian Klein, maybe the same as 'Alba form' from Christian Klein	22.-
	<i>S. leucophylla</i>	S2R4 BG Prague	24.-
	<i>S. leucophylla</i>	North of Milton, Santa Rosa Co., Florida, (M.Srba L15)	24.-
	<i>S. leucophylla</i>	Franklin County, Florida, (M.Srba L17A)	24.-
	<i>S. leucophylla</i>	Escambia County, near Pensacola, Florida, (M.Srba L18C)	24.-
	<i>S. leucophylla</i>	Stocky, white top, small red veins, slightly pubescent, (M.Srba L35A)	24.-
	<i>S. leucophylla</i>	Stocky, white top, small red veins, slightly pubescent, (M.Srba L35C)	24.-
	<i>S. leucophylla</i>	Gas-Station-Site, Perdido, Alabama (PW)	16.-
L1	<i>S. leucophylla</i>	Green & white, Citronelle, Alabama, W, (AH)	18.-
L2	<i>S. leucophylla</i>	Tall green & white form, Citronelle, Alabama, (PW)	18.-
L6	<i>S. leucophylla</i>	Very large autumn pitcher, Perdido, Alabama, W, (PW)	18.-
L7	<i>S. leucophylla</i>	Pubescent form, Perdido, Alabama, W, (AH)	18.-
L12A	<i>S. leucophylla</i>	Purple & white, giant Autumn pitcher, Deer Park, Alabama, (W)	20.-
L14	<i>S. leucophylla</i>	Yellow flowered form, Red/white, Russell Road, Alabama, WS	22.-
L18	<i>S. leucophylla</i>	Large pink lipped, Apalachicola National Forest, W, (PW)	24.-
L19	<i>S. leucophylla</i>	Purple and white giant form, Route 71, near Altha, North Florida, W, (AH)	24.-
L20A	<i>S. leucophylla</i>	Baldwin County, Alabama, W, (MS)	18.-
L20B	<i>S. leucophylla</i>	Baldwin County, Alabama, W, (MS)	18.-
L38	<i>S. leucophylla</i>	Pubescent form, Citronelle, Alabama, W, (PW)	16.-
L39A	<i>S. leucophylla</i>	Red & white, Citronelle, Alabama, W, (SM), Introgressed hybrid with <i>S. alata</i> . Pink flowers	18.-
L40	<i>S. leucophylla</i>	Pubescent form, Deer Park, Alabama, W, (SM)	16.-
L45	<i>S. leucophylla</i>	var. <i>alba</i> , Green & white top, Perdido, Alabama, W, (SM)	20.-
L49B	<i>S. leucophylla</i>	Red/pink tube, Pedido, Alabama, (PW)	18.-
L51B	<i>S. leucophylla</i>	Peristome is tinged with pink, Hosford, Florida, Eastern limit of range, W	18.-
L53	<i>S. leucophylla</i>	Plant with possible introgression with <i>alata</i> , Miroslav Srba, 2005	18.-
L55	<i>S. leucophylla</i>	'Tarnok', Perdido region, Baldwin County, Alabama, W, Mutant flower form	20.-
L59B	<i>S. leucophylla</i>	Very stocky Autumn pitcher, Milton, Florida, W	20.-
L65	<i>S. leucophylla</i>	Red & white, large pitchers, Marston Exotics	20.-
L72	<i>S. leucophylla</i>	Green & white, veinless throat, (ME,1995)	22.-
L79	<i>S. leucophylla</i>	Tibbee, Aabama, WS, ST 2004	18.-
L90	<i>S. leucophylla</i>	Ben's Bog, Baldwin County, Alabama, (WS)	18.-
L101	<i>S. leucophylla</i>	Stocky, wide mouth, plant possibly is of hybrid origin with <i>Sarracenia alata</i> (AS SL 27) 2007	18.-
L103	<i>S. leucophylla</i>	Upper 'White' zone is covering 1/3rd of the pitcher length, Yellow River, Santa Rosa County, F	20.-
L104D	<i>S. leucophylla</i>	Wilkerson Bog, Bay County, Florida, WS, (BG 2003)	22.-
L121	<i>S. leucophylla</i>	'Bonbon', red from from Christian Klein, slection of his seedlings	22.-
L133A	<i>S. leucophylla</i>	Clone A, Splinter Hill, Perdido, Alabama #7, WS, from Kamil Pasek	28.-
L133B	<i>S. leucophylla</i>	Clone B, Splinter Hill, Perdido, Alabama #7, WS, from Kamil Pasek	28.-
L133C	<i>S. leucophylla</i>	Clone C, Splinter Hill, Perdido, Alabama #7, WS, from Kamil Pasek	28.-
L143C	<i>S. leucophylla</i>	Tall, white top, Creation of Mirek Srba, (M.Srba L32C)	30.-
	<i>S. minor</i>	MOK01?, from Paul Gardener	18.-
	<i>S. minor</i>	near Watchtower, Okefenokee, WS	18.-
	<i>S. minor</i>	Clone D, near Watchtower, Okefenokee, WS	20.-
	<i>S. minor</i>	Fitzgerald County, WS	14.-
	<i>S. minor</i>	North of Charlston, South Carolina, WS	14.-
	<i>S. minor</i>	Pine Mountains, Georgia	14.-
	<i>S. minor</i>	Waycross, Georgia	14.-
M12	<i>S. minor</i>	Near Wacamaw River, Brunswick County, North Carolina,WS, (PW)	16.-

M15	<i>S. minor</i>	var. okefenokeensis, Giant, Okefenokee, South	18.-
M16	<i>S. minor</i>	var. okefenokeensis, Okefenokee Giant, North East	18.-
M28	<i>S. minor</i>	Brantley County, Georgia, (BB), 2007	16.-
	<i>S. oreophila</i>	Giant, from Ruedi Fürst	24.-
	<i>S. oreophila</i>	Giant, S8B1 BG Prague	24.-
	<i>S. oreophila</i>	Sand Mountains, Georgia	16.-
O3A	<i>S. oreophila</i>	Boaz, Alabama, W, (Clone 1, PM)	16.-
O3B	<i>S. oreophila</i>	Boaz, Alabama, W, (Clone 2, PM)	16.-
O5	<i>S. oreophila</i>	De Kalb County, Alabama, W, (O10, JA)	16.-
O7	<i>S. oreophila</i>	Sand Mountain, W, (O13, JA)	16.-
	<i>S. psittacina</i>	Giant, Clone from BG University Hohenheim	20.-
	<i>S. psittacina</i>	Splinter Hill, #17, WS	16.-
PS01	<i>S. psittacina</i>	Gulf Coast Giant, Apalachicola National Forest, W	16.-
PS03	<i>S. psittacina</i>	Orange flower, Wewahitchka, Florida, W, (PW)	12.-
PS08	<i>S. psittacina</i>	"Dark flower", Yellow River, Florida. W, (S28, JA)	12.-
PS09	<i>S. psittacina</i>	Okefenokee Swamp, Giant form, Georgia, W, (S22, JA)	16.-
PS21	<i>S. psittacina</i>	Bay County, Florida, W	12.-
PS22	<i>S. psittacina</i>	Bulbous, Harrison County, Mississippi, WS	14.-
	<i>S. purpurea</i>	ssp. purpurea	12.-
PV55	<i>S. purpurea</i>	ssp. venosa var. burkii, Chipola Giant, old Clone from Dr. Eberhard König	30.-
	<i>S. rubra</i>	'Chatham Giant', from Ian Salter	16.-
	<i>S. rubra</i>	sssp. Alabamensis	16.-
RA05	<i>S. rubra</i>	ICPS location, AL003, BB	18.-
RG01	<i>S. rubra</i>	Green, anthocyanin free form, Yellow River, Florida, W, (AH)	14.-
RG02	<i>S. rubra</i>	Stocky form, Yellow River, Florida, W, (PW)	12.-
RG05	<i>S. rubra</i>	Large form, Yellow River, Florida, W, Mark Wilkinson	12.-
	<i>S. rubra</i>	ssp. rubra, Red Pitchers, old clone from Johannes Betz	18.-
	<i>S. rubra</i>	ssp. rubra, boardwalk site, Green Swamp, Brunswick County, North Carolina, (RR02 JW)	10.-
	<i>S. rubra</i>	ssp. rubra, small, very red clone, Ash, Brunswick County, North Carolina, (RR06 JW)	10.-
RR09	<i>S. rubra</i>	ssp. rubra, Ashe County, North Carolina	10.-
RR11B	<i>S. rubra</i>	ssp. rubra, Taylor County, Georgia, (WS)	10.-
	<i>S. x ?</i>	Clone from Euroflora, very huge lid with light copper veins, lid is bigger than a CD!	20.-
	<i>S. x alata x flava</i> var. Maxima	Very large white flowers	18.-
	<i>S. x flava</i> var. ornata x leucophylla	Very huge pitchers (more than 1m), heavy veins	20.-
	<i>S. x orpi</i>	oreophila x psittacina, old clone from Dr. Eberhard König	14.-
	<i>S. x orpu</i>	oreophila x purpurea, old clone from Dr. Eberhard König	14.-
	<i>S. x pipu</i>	psittacina x purpurea, old clone from Dr. Eberhard König, very dark red	20.-
	<i>S. x purpurea</i> Hybrid	from Wilhelma, looks like a green/yellow purpurea with many red veins	18.-
	<i>S. flava cuprea x oreophila</i>		16.-
	<i>S. x ?</i>	HB14A M. Srba	35.-
H23	<i>S. x Dixie Lace</i>		14.-
H56	minor x catesbaei	Very large domed pitchers (Derek Clavell-Bate 2004)	18.-
H78	Rudolph II		30.-
H85B	<i>S. x willisii x minor</i> var. okefenokeensis (MS) 2002		24.-
H94	excellens x leucophylla (RVL SH01)		24.-
H112	<i>S. x 'Leah Wilkerson'</i>	<i>S. x moorei</i> , Walton County, Florida, W, (Brooks Garcia 2004)	69.-
H113	<i>S. x 'Adrian Slack'</i>	<i>S. x moorei</i> , Milton, Florida, W, Barry Rice (2004)	69.-
H116	<i>S. x 'Copper Vase'</i>	(DC 2004)	35.-
H156	<i>Sarracenia x moorei</i> , Wilkerson moorei clone 2, Bay County, Florida, (W), Brooks Garcia 2006		20.-
H225	<i>Sarracenia x "Timothy King"</i> , ( moorei cross in 2003)		69.-
H252	<i>Sarracenia x 'Eva'</i>		16.-
H260	<i>Sarracenia x moorei</i> , "Praetorian Guard", All red clone, own cross 2003 (L18 x F27A select)		95.-



## Begleitpflanzen

### *winterharte Pflanzen und Orchideen für das Moorbeet*

Betula pubescens	Moorbirke, sollte nur in große Mooranlagen eingebracht werden, oder im Topf versenken	8.-
Calluna vulgaris	gewöhnliche Besenheide, typisches Moor und Heidegewächs mit lila Blüten	6.-
Calopogon tuberosus	Grasroete, sehr schöne Moororchidee mit dunkelrosa Blüten aus Nordamerika	28.-
Carex panicea	Hirse-Segge, von Europa bis Asien verbreitet	6.-
Eleorchis japonica	japanische Moororchidee mit rosa Blüten	28.-
Equisetum scirpoides	binsenförmiger Schachtelhalm, Zwergform bis ca 15cm Höhe	6.-
Eriophorum latifolium	breitblättriges Wollgras, bildet bereits schon im zeitigen Frühjahr die Wolleartigen Blüten	6.-
Eriophorum virginicum	Scheiden Wollgras, bildet schöne Horste aus, typische Moorpflanze die nicht fehlen darf	6.-
Gentiana olivieri	Moorenzian aus Japan	16.-
Gladiolus italicus	Feld-Siegwurz, europäische Gladiolen Art	14.-
Helonias bullata	Moornelke, aus Nordamerika, bildet im Frühjahr einen großen duftenden, rosa Blütenstiel	14.-
Juncus filiformis 'Spiralis'	Korkenzieher-Binse	6.-
Menyanthes trifoliata	Fiebertee, auf der gesamten Nordhalbkugel verbreitet	10.-
Narthecium ossifragum	Moorlilie, mit gelben Blüten, wurde 2011 zur Blume des Jahres gewählt	12.-
Pogonia ophioglossoides	Moor-Pogonie, aus Nordamerika, bringt im Frühjahr zahlreiche rosa Blüten hervor	14.-
Potentilla palustris	Sumpf-Blutauge, Nordhalbkugel, mit einer rotbraunen Blüte	14.-
Rubus chamaemorus	Moltebeere, Nordhalbkugel, ist das Wahrzeichen von Lappland	16.-
Sphagnum spec.	Torfmoos, gehört in jedes Moor, mit feinen, grünen Fasern	6.-
Sphagnum spec.	Torfmoos, gehört in jedes Moor, mit feinen, roten Fasern	8.-
Sphagnum spec.	Torfmoos, gehört in jedes Moor, mit dicken, grünen Fasern	6.-
Trichophorum alpinum	Alpen-Rasenbinse oder auch Alpen-Wollgras genannt	8.-
Trichophorum cespitosum	Rasenbinse, bildet schöne Horste aus	8.-
Vaccinium macrocarpon	Großfrüchtige Moosbeere, besser bekannt als Cranberry, ursprünglich aus Nordamerika	8.-
Vaccinium oxycoccos	gewöhnliche Moosbeere, auf der Nordhalbkugel verbreitet, bringt essbare Beeren hervor	8.-
Viola palustris	Moorveilchen, mit kleinen hell-blauen Blüten	8.-

## Zubehör

Spezialsubstrat für fleischfressende Pflanzen, bestehend aus Torf, Perlite und Quarzsand, besonders locker für gutes Wurzelwachstum und kräftige Pflanzen. Im praktischen wiederverschließbarem 3 Liter Beutel.	4.-
hochwärtiger Torf in Gärtnerqualität, mäßig zersetzt (H3 - H5), Abgabe in gewünschter Liter Anzahl, Preis je Liter	0,5
Perlite, in Gärtnerqualität, zur Auflockerung und Wasserspeicherung, Preis je Liter	1.-
Quarzsand, fein (0,3-0,8 mm) oder grob (0,7 - 1,6 mm), Preis je Kilo	3.-

## Wie kann ich bestellen? / How to order?

Da sich unser Webshop gerade noch im Aufbau befindet, kann eine Bestellung zur Zeit nur per Email erfolgen, dazu bitte einfach eine Mail mit den gewünschten Pflanzen an: **info@green-jaws** senden.

Die Mail sollte neben den Pflanzen auch gleich die **Versand- und Rechnungsadresse** enthalten um unnötigen Schriftverkehr zu vermeiden.

Nach Prüfung der Verfügbarkeit erfolgt eine Antwort mit Rechnung und Zahlungs Details.

Manche Pflanzen stehen nur in sehr geringen Stückzahlen zur Verfügung, daher geht der Zuschlag an denjenigen der zuerst bestellt hat.

Nach erfolgtem Geldeingang werden die Pflanzen versendet (der Versand mit DHL erfolgt mehrmals pro Woche).

Die **Versandkosten** (Porto und Verpackung) betragen innerhalb Deutschlands 10.-€ und innerhalb Europas 14.-€.

Versendet werden in der Regel nur große, kräftige Pflanzen die bereits Blühfähig sind. Vereinzelt kann es aufgrund hoher Nachfrage auch zu Lieferungen von kleineren Pflanzen kommen.

Innerhalb Deutschlands können wir viele **Pflanzen getopft** versenden. Diese werden sehr **aufwendig verpackt** um die Reise zu dir gut zu überstehen. Sollte es wider Erwarten doch einmal zu Problemen kommen, diese bitte sofort reklamieren, anderenfalls kann keine Erstattung erfolgen.

Wurzelempfindliche Pflanzen (z.B. Cephalotus) werden immer getopft versendet!

Da wir unser **Angebot** und Sortiment ständig erweitern lohnt es sich auch öfters mal vorbei zu schauen.

Das ganze Jahr über sind wir auf vielen Veranstaltungen (**Börsen und Gartenmärkten**) unterwegs, selbstverständlich können hierzu auch alle Pflanzen vorbestellt und vor Ort abgeholt werden. Eine ausführliche Liste mit allen Details findest du auf unserer Website in der Rubrik **'Veranstaltungen'**

Falls du Hilfe bei der Pflanzenauswahl benötigst oder andere Fragen hast sind wir für dich auf unserer **Service-Hotline** von Montag bis Freitag, jeweils von 10 - 18 Uhr unter: **07141 - 1294417** erreichbar.

As our webshop is still under constuction, an order can only be sent by **Email** at the moment, so please send an email with the desired plants to: **info@green-jaws.com**

In addition to the plants, the mail should contain the **shipping and billing address** as well.

After checking availability, you will receive a response with the invoice and payment details.

Some plants are available only in very small quantities, so the surcharge will be applied to that who first ordered.

After the funds have been received, the plants are shipped (shipping with DHL, several times a week).

**Shipping costs** (postage and packaging) are 10.-€ within Germany and 14.-€ within Europe. We only send large and strong plants, in a mature or flowering size. Sometimes, because of a high demand it can also come to deliveries from smaller plants.

Within Germany we can send many plants potted. In Europe we will send mostly bare rooted. These are packed very elaborately to stay the trip to you very well.

If, contrary to expectations, problems arise, please immediately claim, otherwise no refund can be given.

Plants with sensitive roots (eg Cephalotus) are always shipped potted.

As we are constantly expanding our range, it is also worthwhile to visit.

Throughout the year, we are represented on many events (**exchanges and garden markets**), so all plants can be pre-ordered and picked up on the event. A detailed list with all markets can be found on our website in the section **'events'**.

If you need help with plant selection or other questions, please give us a ring at our **service hotline** from Monday to Friday (from 10 am to 6 pm) at: **+49 7141 - 1294417**.